@Keling Medical:

Jiangsu Keling Medical Appliances Co.,Ltd.(Factory)

Shanghai Keling International Trading Co.,Ltd

MAIL: webmaster@shkeling.com WEB: www.kelingmed.com

让爱照亮未来

Future Is Well Lit By Love

KELING GREAT EVENTS

1998

Established Jiangsu Keling Medical Appliances Co., LTD.

1999

Shanghai Keling International Trading Co., LTD was registered.

2002

Established Jiangsu Keling in Yangzhou Branch.

2006

Established a medical device production base.

2009

Built a provincial enterprise technology center.

2010

Established Suzhou Carer Medical Device Co., LTD.

CONTENTS

01 Hospital Bed P01-P16

02 Hospital Furniture P17-P27

03 Gynecological Examination Table P28-P34

04 Medical Trolley P35-P42

05 First-Aid Equipment P43-P49

06 Rehabilitation Products P50-P55

07 Experimental Apparatus P56-P57

www.kelingmed.com

@Keling Medical:

KL-BC101

Electric Hospital Bed

Back-rest | Knee-rest | Height Adjustment | Reverse Trendelenburg | Trendelenburg | CPR | One button stop



One button trendelenburg | Nurse lock function

Product details show:

Technical Parameters:

Length:	216cm
Width:	105.5cm
Height:	48-76cm
Bed length:	193cm
Bed Width:	90cm
Package Length:	205cm
Package Width:	100cm
Package Height:	48cm
Gross Weight:	120kg

Technical Configuration:

Imported Motor:	4 pcs
5" Double Side Castors, Central Locking:	4 pcs
Guardrail:	2 set
Bed Ends with Safe Lock with 65 Bumper Wheel:	1 set
Bed Platform with integrated Mattress Retainer:	1 set
IV Pole 4 Hooks:	4 pcs
IV Pole Prevision:	1 set
Drainage Hook:	4 pcs
Central Locking Pedal:	2 pcs
Cardiac Chair Position:	2 pcs
Nurse Controller:	1 pc

Hospital Bed

KL-BC102

Electric Hospital Bed

5-Functions



Back-rest | Knee-rest | Height Adjustment | Reverse Trendelenburg | Trendelenburg | CPR | One button trendelenburg | Nurse lock function

Technical Parameters:

External (L*W*H):	2240*1030*450-700mm
Safe load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°
Reverse Trendelenburg:	0-12°
Trendelenburg:	0-12°

Technical Configuration:

Silent castors:	4 pcs
Control box:	1 set
Guardrail:	1 set
ABS drainage hooks:	2 pcs

Hospital Bed

KL-BC103

Electric Hospital Bed

5-Functions

Back-rest | Knee-rest | Height Adjustment | Reverse Trendelenburg | Trendelenburg | Remote control handle



Technical Parameters:

External (L*W*H):	2150*1065*(540-830)mm
Mattress Platform:	1925*900mm
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°(±10°)
Knee-rest Adjustment:	0-35°(±10°)
Reverse Trendelenburg:	0-12°
Trendelenburg:	0-12°

Technical Configuration:

Silent castors:	4 pcs
Imported motor:	1 set
Guardrail:	1 set
Central locking pedal:	1 set

Hospital Bed

KL-BC104

Electric Hospital Bed

3-Functions

Back-rest Knee-rest Height Adjustment

Technical Parameters:

External (L*W*H):	2150*1035*450-730mm(±10mm)
Input power:	120VA
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°
Height Adjustment:	280mm

Technical Configuration:

Silent castors:	4 pcs
Push tod motor:	3 pcs
Guardrail:	1 set
Head and foot board:	1 set

Hospital Bed

KL-BC105

Electric Hospital Bed

2-Functions



Back-rest Knee-rest

Technical Parameters:

External (L*W*H):	2150*1035*450-730(±10mm)
Input power:	120VA
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°

Technical Configuration:

Silent castors:	4 pcs
Push tod motor:	2 pcs
Guardrail:	1 set
Head and foot board:	1 set

Hospital Bed

KL-BC106

Manual Hospital Bed

1-Function

Back-rest

Technical Parameters:

Length:	2150mm
Width:	960mm
Height:	500(±10mm)
Mattress Platform:	1930*900mm
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°

Technical Configuration:

Manual crank:	1 pcs
Silent castors:	4 pcs
Guardrail:	1 set

Hospital Bed

KL-BC107

Manual Hospital Bed

2-Functions



Back-rest Knee-rest

Technical Parameters:

Length:	2150mm
Width:	960mm
Height:	500(±10mm)
Mattress Platform:	1930*900mm
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°

Technical Configuration:

Manual crank:	2 pcs
Silent castors:	4 pcs
Guardrail:	1 set

Hospital Bed

KL-BC108

Manual Hospital Bed
3-Functions

Back-rest Knee-rest Height Adjustment

Technical Parameters:

External (L*W*H):	2150*960*450-730(±10mm)
Mattress Platform:	1930*900mm
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°
Material:	stainless steel/ABS

Technical Configuration:

Manual crank:	3 pcs
Silent castors:	4 pcs
Guardrail:	1 set

Hospital Bed

KL-BC109

Manual Hospital Bed
5-Functions

Back-rest Knee-rest Height Adjustment Reverse Trendelenburg Trendelenburg



Technical Parameters:

External (L*W*H):	2150*980*450-720mm
Mattress Platform:	1930*900mm
Safe Working Load:	240kg
Back-rest Adjustment:	0-75°
Knee-rest Adjustment:	0-35°
Reverse Trendelenburg:	0-12°
Trendelenburg:	0-12°

Technical Configuration:

Manual crank:	4 pcs
Silent castors:	4 pcs
Guardrail:	1 set

Hospital Bed

KL-BC110

Electric Gynecological Birth Bed
5-Functions

Back-rest | Knee-rest | Height Adjustment | Reverse Trendelenburg | Trendelenburg | Remote control handle

Technical Parameters:

Bed (L*W*H):	2050mm*980mm*680-900mm
Working environment temperature:	10 ° -40 °
Total input power:	400VA
Safe working load:	170KG
Back panel folding angle:	70 °
Overall upward tilt angle:	17 °
Overall downward tilt angle:	17 °

Technical Configuration:

Handle controller:	1 pc
Leg support:	2 pcs
Movable panels:	1 pc
Guardrail:	1 set
Silent castors:	4 pc
Stainless steel basin:	1 set

Hospital Bed

KL-BC111

Manual Orthopedics Traction Bed
5-Functions



Back-rest | Knee-rest | Height Adjustment | Reverse Trendelenburg | Trendelenburg

Technical Parameters:

External (L*W*H):	2160*1060*460-720mm
Mattress Platform:	1925*900mm
Safe Working Load:	250kg
Back-rest Adjustment:	0-75°(±10°)
Knee-rest Adjustment:	0-35°(±10°)
Reverse Trendelenburg:	0-12°
Trendelenburg:	0-12°

Technical Configuration:

Guardrail:	1 set
Head and foot board:	1 set
Silent castors:	4 pcs
Stainless steel drawing frame:	1

Hospital Bed

KL-BC129

Flat bed

Technical Parameters:

Product size(L*W*H):	2000*960*500(±10mm)
Bed size:	1930*900mm
Headboard:	can be customized

KL-BC130

Flat bed

Technical Parameters:

Product size(L*W*H):	2000*960*500(±10mm)
Bed size:	1930*900mm

KL-BC131

Single rocking nursing bed

Technical Parameters:

Product size(L*W*H):	2000*960*500(±10mm)
Bed size:	1930*900mm
Back Angle :	0-75°
Tabula :	can be customized
Guard rail:	can be customized

KL-P001

Mattress

PU/Gore-fex Common spong High-density sponge

Technical Configuration & Optional:

Mattress size: 190mm*90mm

6cm ☐ 8cm ☐ 10cm ☐ 12cm ☐ 14cm ☐

Mattress size & thickness: can be customized

KL-P002

Mattress

Palm-pierce mattress zipper *PU/Gore-fex

Technical Configuration & Optional:

Mattress size: 190mm*90mm

6cm ☐ 8cm ☐ 10cm ☐ 12cm ☐ 14cm ☐

Mattress size & thickness: can be customized

KL-P003

Air Mattress

Technical Configuration & Optional:

Mattress size: 190mm*90mm

Applicable to a variety of hospital scenarios

KL-P004

AirMattress

Technical Configuration & Optional:

Mattress size: 190mm*90mm

Applicable to a variety of hospital scenarios

Hospital Bed

Hospital Bed

KL-LJ045
Hanger

KL-LJ045-1
IV Pole

Optional:

Material:	Stainless steel
Outer tube thickness:	19mm
Inner tube thickness:	16mm

KL-CA011
Castor

125mm Center control wheel

125mm double-sided wheel

100mm castor

125mm castor

KL-CA012
Belt Of Equipment

Size & Function Selection & Colour: customizable

KL-HL001
Guard Rail

Aluminum rail(6 bars)
Product size L*H:174*13CM

Aluminum rail(5 bars)
Product size L*H: 149*12CM



SS rail(4bars)
Product size L*H: 148*13CM



SS rail(6bars)
Productsize L*H: 175*13.5CM

KL-HL002
Rail

*Big size

*Small size

KL-HL003
Headboard



Suitable for all kinds of beds,
please consult for more information

KL-HL004
Headboard

*Blowing Proces

Suitable for all kinds of beds,
please consult for more information

Hospital Bed

Hospital Furniture

KL-CG080
Bedside Table



Size: 480*460*900mm(L*W*H)

KL-CG081
Bedside Table

Size: 480*465*745mm (L*W*H)

KL-CG082
Bedside Table

Size: 480*480*760mm(L*W*H)

Option:



KL-CG083
Bedside Table

Size: 480*465*785mm (L*W*H)

KL-CG084
Bedside Table

Size: 480*400*790mm(L*W*H)

KL-CG085
Bedside Table

Size: 480*480*760mm(L*W*H)

KL-CG086
Bedside Table

Size: 480*480*760mm(L*W*H)

KL-CG087
Bedside Table

Size: 480*480*760mm(L*W*H)

Hospital Furniture

Hospital Furniture

KL-CZ301

Overbed Table

Size:940*450*760-1040mm

For more information, please contact us.

KL-CZ302

Overbed Table

Size:940*450*760-1040mm



KL-CZ303

Overbed Table

Size:765*385*700-1010mm



KL-CZ304

Dining table

Size:870-1020*350*28mm

KL-CZ305

Dining table

Size:1030*300*28mm

KL-CL050

Curtain&Track

Track styles:	U-shaped, straight, L-shaped, etc.
Track material:	Aluminum alloy
Material:	Polyester
Height:	2.8m
Weight:	200g/m²-250g/ m²
Color & Track size:	customizable

KL-CL051

Fold Screen



Single screen size:	50*36*180cm
Frame material:	stainless steel
Material:	fiber
Mute universal castors:	1 set
Detachable shade cloth:	1 set
Stainless steel frame:	1 set

KL-LJ046

IV Pole

Product size: 025*39.5cm
(more sizes are optional)

KL-LJ047

Trash Can

Product size:
25*39.6cm(12L)
29*43.5cm(20L)

KL-LJ048

Kick Bucket

Product size:
33.5*48cm

Hospital Furniture

Hospital Furniture

KL-EA02

Examination Lamp

Technical Configuration & Optional:

Material:	Stainless steel	Light Angle:	24°
The diameter:	56cm	Working voltage:	AC180-260V
Wheel:	6cm	Working current:	600MA/W ±5%
Illumination:	1750LM(30000Lux)	Power:	1*20W

KL-WS001

Weighing scale

Technical Configuration & Optional:

Dimension:	62x29.5x106cm
N.W.:	11.33kg
G.W.:	13.4 kg
Packing size:	107x36x28cm(1pcs/ctn)
Use 4XAA Batteries:	(Not included)

KL-WS002

Weighing scale

Technical Configuration & Optional:

Dimension:	62x29.5x106cm	Use 4XAA Batteries
N.W.:	11.33kg	(Not included)
G.W.:	13.4 kg	
Packing Volume:	107x36x28cm	
For more details, please consult		

KL-BD101

Vision chart lightbox

Technical Configuration:

Product size:	619*304*25mm
Light source:	SMD2835 LED96
Color temperature:	6000k
Voltage:	AC90V-240V
Frequency:	50/60Hz
Installation method:	Wall-mounted
Observation screen brightness:	≥90%



Hospital Furniture

X-LED Series

X ray film viewer

Technical Configuration:

Model	X-Ray viewerfilm 1 plage
Frame size(L*W*H):	472X560X17mm
Visual size(L*W*H):	366X455
Energyconsumption:	30 W
Color temperature:	8000K
Input voltage:	Integrated power supply100-240V.50/60Hz
luminance:	Standard: high 4000cd/cm'(3000Lux)

KL-FS002

Footstool

Technical Configuration & Optional:

Material:	Stainless steel
Product size:	47*22.5*23cm
	More options please consult

Hospital Furniture

KL-ZY001
Treat-waiting Chair

Material: PU/PVC

Material: stainless steel



Technical Configuration & Optional:

Product size:	180*74*80cm
Number of seats:	3 (customizable)
PU cushion:	304 stainless steel
Seat thickness:	1.5cm
Color:	optional
Main material:	customizable

KL-ZY002
Nurse Stool

Technical Configuration & Optional:

Product size:	35*8*51-67cm
Cushion thickness:	8cm
Cushion diameter:	35cm
Cushion adjustable height:	51-67cm
Product weight:	4.8kg
Color:	Customizable

KL-ZY003
Office Chair

Technical Configuration & Optional:

Product size:	55*56*103cm
Sitting height:	45cm
Backrest:	1
Armrest:	2 pcs
Bow leg:	1 set
Seat:	1

KL-ZY004
Attendant chair



Technical Configuration & Optional:

Seat size (L*W*H):	640*720*940 mm	2-inch castors:	4
Bed size(L*W*H):	640*1900*420 mm	Non-slip feet:	4
Main material:	carbon steel	Pillow:	1
Arm:	1 set	Color:	customized

KL-ZY005
Transfusion Chair

Technical Configuration & Optional:

Seat Size(L*W*H):	1150*800*1200mm	IV Pole:	1 pc
Backrest to ground height:	1200mm	Utility Basket:	1 pc
Cushion thickness:	60mm	Sponge size:	7cm
IV Pole Previsions:	2pcs	Color:	customized

KL-ZY006
Luxury Attendant Chair

Technical Configuration & Optional:

Seat size:	710*720*950mm
Bed size:	710*1940*420mm
Material:	PU/wood
Wood Arm Frame:	1 set
2''Castors:	2 pcs
Anti-slip Feet Cover:	2 pcs
Pillow:	1 pc

Hospital Furniture

Hospital Furniture

KL-ZY007

Electric Dialysis Chair

Technical Configuration & Optional:

Size(chair):	1000×600×1300mm
Size(open):	1880×880×600mm
Carton Size:	970x820x750mm
N.W:	44kg
G.W:	50kg
Seat cushion thickness:	120mm
Control handle:	1
Castor:	4
Color:	customizable

KL-ZY008

Escort chair

Technical Configuration & Optional:

Size(chair):	1100x770x1280mm
Carton:	1pcs
Table size :	480*260mm
Carton Size:	970x820x750mm
N.W:	44kg
G.W:	50kg
Weight limit:	120KG
5" castor:	4
Color:	customizable

KL-ZY009

Companion chair

Technical Configuration & Optional:

Product size:	830*780*930mm
Unfold size:	830*2000*930mm
PUcushion:	PU
Posture:	Sit / lie down
Number of seats:	1 (customizable)
Color:	customizable

KL-BC114

Child's cot

Hospital Furniture

Technical Parameters:

External(L*W*H):	1880*900*1260mm
Bed Height:	585mm
Mattress Platform:	1770*720mm
Back-rest Adjustment:	0-75°(±10°)
Knee-rest Adjustment:	0-35°(±10°)

Optional:

Castors:	4 pcs
Color:	Blue ☐ Pink ☐

Technical Configuration:

Manual Cranks:	2pcs
5" Covered Castors:	4pcs
Full Length Side Rail:	1set
Plastic Bed Ends with Cartoon Bear:	1pc
IV Pole Prevision:	4pcs
IV Pole:	1pc
Drainage Hook:	2pcs
BufferAir Spring:	4pcs

Hospital Furniture

KL-BC115

Child's cot

Technical Parameters & Optional:

External size(L*W*H):	800*500*800(mm)
Material:	Stainless steel
Color:	can be customized

KL-BC116

Baby's crib

Technical Parameters & Optional:

External size(L*W*H):	810*520*990 mm
Trendelenburg:	18°
Bassinet:	1pc
3" Covered Castors:	4pcs
IV Pole:	1pc
Adjustable Air Spring:	4pcs
Color:	can be customized

KL-BC117

Baby's crib

Technical Parameters & Optional:

Trendelenburg:	0-12°(±5°)
ReversedTrendelenbury:	0-12°(±5°)
Bassinet:	1pc
3"covered Castors:	4pcs
Size:	875*525*(650-900)mm
Mattress size:	2cm
Load Capacity:	>30kg
Packing Size:	910*550*850 mm
	1 pc/carton
Color:	can be customized

Gynecological Examination Table



KL-2F

Electric Gynecological Bed

Technical Parameters:

Produce size (L*W):	1950±50mm*700±20mm
Bed surface:	(650-920mm)±50mm
The table height adjustment:	270±50mm
Forward tilt:	≥25°
Backward tilt:	≥25°
Fold on the back panel:	≥70°
Fold down on the back panel:	≥5°
Outward folding ofleg plate:	≥90°
Input power:	150VA±10%
Power supply voltage:	AC 220V±22V 50Hz±1Hz

Leg support:	1 pc	Foot remote control:	1 set
Kick board:	1 pc	Handheld remote control:	1 set
Handle rod:	1 pc	Stainless steel dirt basin:	1 set
Power cord:	1 set	Color:	Blue ☐ Green ☐ Red ☐ Pink ☐
Arm rest:	1 pc		

KL-FA.IV

Electric Gynecological Bed

Technical Parameters:

Product size:	140*58*(97-56)cm
Forward tilt:	≤70°
Backward tilt:	≤16°
Angle between back and seat:	≤43°
Auxiliary plate:	optional
Castor:	4 pcs
Color:	Blue ☐ Green ☐ Red ☐ Pink ☐

KL-2A

Gynecological Examination Table



Technical Parameters:

Product size:	1850*650*820±20mm
Back board upwards:	50°±5°
Leg board downwards:	0-90°

Optional:

Color:	customizable

KL-BC122

Gynecological Examination Table



Technical Parameters:

External (L*W*H):	1880*600*680mm
Back-rest Adjustment:	0-70°
Drawers size:	540*400*100mm
Sliding stool size:	400*320*120mm
Stainless steel basin:	500*350*48mm
Packing size:	1440*740*770mm
Safe Working Load:	250kg

Technical Configuration & Optional:

Mattress:	1 pc	Color of mattress:	customizable
Leg supports:	2 pcs		
Stainless steel drain basin:	1 pc		
Stool:	1 pc		

Gynecological Examination Table

KL-3A

Gynecological Examination Table



Technical Parameters:

Product size:	1850*650*820+20mm
Back board upwards:	0-85°
Leg board downwards:	0~90°
Carrying capacity:	150kg

Optional:

Color:	customizable

KL-BC123

Examination Table

Technical Parameters:

External (L*W*H):	1800*600*600mm
Bed body:	1 set

Optional:

Castors:	optional
Color:	customizable

KL-BC121

Examination Table



Technical Parameters:

External (L*W*H):	1900*600*680mm
Back-rest Adjustment:	0-60°(±10°)
Bed body:	1

Optional:

Castors:	optional
Color:	customizable

KL-BC120

Examination Table



Technical Parameters:

Exteral Length:	1940mm
External Width:	700mm
Table Height Min.:	490mm
Table Height Max.:	890mm

Optional:

Castors:	optional
Color:	customizable

KL-BC127

Examination Table



Technical Parameters:

Exteral Length:	1700mm
External Width:	600mm
Table Height Min.:	690mm
Table Height Max.:	980mm

Optional:

Castors:	optional
Color:	customizable

KL-BC125

Examination Table



Technical Parameters:

External (L*W*H):	1900*650*700mm
Back-rest Adjustment:	60°
Bed body:	1 set

Optional:

Castors:	optional
Color:	customizable

KL-BC124

Electric Beauty Bed

Technical Parameters & Configuration:

Product size:	108*60*160cm (more sizes are optional)
Product material:	Thickened steel plate
Handrail size:	46cm
Height lifting:	65-86cm
Adjustable backrest:	0-70°
Leg adjustment:	0-70°
Beauty bed:	1 pc
Intelligent remote control:	1 set
Removable headrest:	1 pc
Leg support:	1 pc
Handrails:	2 pcs
Motor:	3 pcs
Optional foot control, supporting chairs, etc.	

For more information please contact

For more information please contact

For more information please contact

For more information please contact

For more information please contact



For more information please contact



For more information please contact

For more information please contact



Gynecological Examination Table

Gynecological Examination Table

KL-TC003

Emergency Trolley

*Clapboard

KL-TC001

Emergency Trolley
Size:780*480*980mm

KL-TC002

Emergency Trolley
Size:680*525*1000mm

Technical Configuration:

Main size: 750*480*920mm(small size)850*520*950(large size)		Guardrail:	1 pc
Main material:	ABS	Mute castors:	4 (2 brakes)
Working surface:	3 pcs	The storage space can be customized:	large/medium/small/etc.
6*4 swivel hook infusion stand:	1 set	Defibrillation plate,Basket, Dirt bucket, etc.:	optional

Medical Trolley

KL-TC004
Emergency Trolley
Size:750*475*930mm
850*520*960mm

KL-TC005
Anesthesia Trolley
Size:750*475*930mm
850*520*960mm

KL-TC006
Clinic Trolley
Size:750*475*920mm

KL-TC007
Medicine Trolley
Size:750*480*920mm
850*520*950mm

KL-TC008
Emergency Trolley
Size:625*475*930mm

KL-TC009
Anesthesia Trolley
Size:625*475*930mm

KL-TC010
Clinic Trolley
Size:625*475*930mm

KL-TC011
Medicine Trolley
Size:625*475*920mm

KL-TC012
Case History Trolley
Size:450*410*950mm

KL-TC013
Case History Trolley
Size:750*410*950mm

KL-TC014
Case History Trolley
Size:450*492*1040mm

KL-TC015
Case clip
Size:230*330mm
Color can be customized

KL-TC016
ABS Trolley
Size:730*480*900mm

KL-TC017
ABS Trolley
Size:730*480*900mm

KL-TC018
ABS Trolley
Size:539*366*845mm
640*456*845mm
760*520*845mm

KL-TC019
ABS Trolley
Size:539*366*855mm

KL-TC020
Emergency Trolley
Size:750*475*930mm

KL-TC021
Anesthesia Trolley
Size:750*475*930mm

KL-TC022
Treatment Trolley
Size:750*475*930mm

KL-TC023
Emergency Trolley
Size:850*520*990mm

KL-TC024
Anesthesia Trolley
Size:670*450*880-960mm

KL-TC025
Clinincal Trolley
Size:670*450*880-960mm

KL-TC026
Clinincal Trolley
Size:670*450*825-1000mm

KL-TC027
Clinincal Trolley
Size:670*450*880-960mm

KL-TC028
Clinincal Trolley
Size:775*635*910mm

KL-TC029
Clinincal Trolley
Size:775*635*910mm

KL-TC030
Clinincal Trolley
Size:780*475*1000mm

KL-TC031
Clinincal Trolley
Size:775*630*1080mm

KL-TC032
Laundry Trolley
Size:800*600*840mm

KL-TC033
Laundry Trolley
Size:900*450*1050mm

KL-TC034
Laundry Trolley
Size:ϕ500X500X800mm

KL-TC035
Wast Collecting Trolley
Size:800*590*890mm

Medical Trolley

Medical Trolley

KL-TC036
Instrument Trolley
(Disassembly Structure)
Size:670*450*900mm

KL-TC037
Instrument Trolley
Size:670*450*900mm

KL-TC038
Instrument Trolley
Size L:1550*460*900mm

KL-TC039
Stainless Steel Trolley
Size L:1000*500*900mm
M: 880*430*860mm
S : 760*360*820mm

KL-TC040
Dressing Trolley
Size:670*450*920-900mm

KL-TC041
Treatment Trolley
Size:460*460*860mm

KL-TC042
Treatment Trolley
Size:670*450*900mm

KL-TC043
Dressing Trolley
Size:670*450*900mm

KL-TC044
Anesthesia Trolley
Size:600*400*850mm

KL-TC045
Insulated Food Cart
Size:1030*550*980mm

KL-TC046
Emergency Trolley
Size:700*400*850mm

KL-TC047
Emergency Trolley
Size:700*400*850mm

KL-TC048
Case History Trolley
(20 shelves)
Size:340*400*900mm

KL-TC049
Case History Trolley
(40 shelves)
Size:630*430*900mm

KL-TC050
Wash Basin
Size:Φ520*810-1300mm

KL-TC051
Mayo Trolley
Size:500*350*870-1300mm

KL-TC052
Swab Stand
Size:900*500*1500mm

KL-TC053
Medicine Trolley
Size:670*450*1000mm

KL-TC054
Infusion Treatment Trolley
Size:670*450*1700mm

KL-TC055
Wet Linen Trolley
Size:815*610*750mm

KL-TC056
Shelf with Four Layers
Size:1200*600*1800mm

KL-TC057
Oxygen Bottle Trolley
Size:1435*360*1040mm

KL-TC058
Work Table
Size:1200*800*1600mm

KL-TC059
Work Table
Size:1200*800/300*1600mm



Size:1000(W)x630(D)x1350(H)mm



Size:2000(W)x630(D)x1350(H)mm



Size:2400(W)x630(D)x590(H)mm

KL-TC060
Stainless Steel Washing Sink Size
1600(W)x630(D)x1350(H)mm

Technical Configuration & Optional:

Faucet	2 pcs
Soap Dispener	1 pc

KL-TC061
Cabinet

KL-TC062
Cabinet

Medical Trolley

KL-TC209

Ultrasonic cart

Please contact customer service for more customization

Technical Parameters:

Top surface :	40.5*38cm
Basket :	30*17*15cm
Base size :	47*47cm
Wheel diameter :	7.5cm
Inner diameter of drawer :	30*24cm
Lower drawer support plate:	39.5x28cm

* Table-board can choose three size: 40.5*38 cm / 47*42 cm / 50*50 cm

Technical Configuration & Optional:

Cold rolled steel plate base:	1 set	Castors:	4 pcs
ABS dust cover medical silent pully:	4 pcs		
Gold bending basket:	2 pcs		
ABS flat with handle support plate:	1 set		
Support plate with drawer:	1 set		

KL-TC210

ECG cart



Technical Parameters:

Top surface :	420*400mm
Base diameter:	500mm
Basket size:	320*200*120mm
Height:	830mm

Technical Configuration & Optional:

Cold rolled steel plate base:	1 set
Medical silent pully:	4 pcs
ABS flat with handle support plate:	1 set

Medical Trolley

KL-TC211

Monitor cart

Technical Parameters:

Table size:	32.8*33.5cm
Column diameter:	4.5cm
Wire basket size:	27.5*15.5*10cm
Knob can adjust the height, adjust the range:	145cm-185cm
Column:	Aviation aluminum, surface anode
Strap handle :	1 set
Pentagram base :	4 pcs
Universal wheel :	5

KL-TC201

Simple Laptop Cart

Size:535*45*750-1150mm

KL-TC202

All-in-One Computer Cart

Size:490*780*980-1030mm

KL-TC203

Monitor Cart

Size:510*1000mm

KL-TC204

Table Cart

Size:510*830mm

KL-TC205

Endoscopic System Equipment Cart

Size:665*630*1650mm

KL-TC206

Information Nursing Cart

Size:520*620*1315mm

KL-TC207

Ward Rounds Cart

Size:530*520*730mm

KL-TC208

Patient Monitor Cart

Size:505*630*950mm

Medical Trolley

KL-MS001
Foldable Stretcher
Size:187x50x18cm

KL-MS002
Foldable Stretcher
Size:188x50x20cm

KL-MS003
Foldable Stretcher
Size:185x48x21cm

KL-MS004
Foldable Stretcher
Size:220*55*15cm

KL-MS005
Aluminum alloy plate stretcher
Size:185x50x3cm



KL-MS006
Scoop Stretcher
Size:210x44x6cm

KL-MS007
Plastic shovel stretcher
Size:162x44.5x7cm

KL-MS008
Hanging basket stretcher
Size:216x61x19cm

KL-MS009
Foldable Stretcher
Size:125x55x17cm

KL-MS010
Electric Stair Stretcher
Size:123x50x16cm

KL-MS011
Foldable Stretcher
Size:138x18x17cm
123x18x17cm

KL-MS012
Stair Stretcher
Size:215x54.5x13cm

KL-MS013
Exticaton Device

Packing Size:187x50x18cm

KL-MS014
Head Immobilizer

KL-MS015
Cervical Collar



KL-MS016
Patient Transfer

Size:180x50x1cm

KL-MS017
Spine Board

Size:1380*350*50mm

Size:1830*450*50mm

Size:2210*630*170mm

Size:1830*450*50mm

Size:1840*450*55mm

Size:1860*410*50mm

KL-MS018
Neil-Roberison Stretcher

Load Bearing:120kg

KL-MS019
Vacuumm Stretcher

Packing size:80x88x80cm

KL-MS020
Ambulance Stretcher

Technical Configuration & Optional:

High Position (L*W*H):	190*55*92cm	Load Baring:	≤159kg
Low Position (L*W*H):	195*55*26cm	N.W:	39kg
Packing size:	195*62*28cm	G.W:	42kg
Maximum Angle:	75°	Color:	customizable

KL-MS021
Automatic Loading Ambulance

Technical Configuration & Optional:

Product size:	190*55*50cm	N.W:	29kg
Packing size:	195*62*34cm	G.W:	35kg
Maximum Angle:	75°	color:	customizable
Load Baring:	≤159kg		

KL-MS022
Chair stretcher

Technical Configuration & Optional:

High Position (L*W*H):	196*55*86cm	Castors:	4 pcs
Low Position (L*W*H):	196*55*25cn	Color:	customizable
Packing size:	198*62*26cm		
Maximum Angle:	85°		

KL-MS023
Automatic Loading Ambulance

Technical Configuration & Optional:

High Position (L*W*H):	190*55*92cm	Load Baring:	≤159kg
Low Position (L*W*H):	195*55*26cm	N.W:	34.5kg
Adjusted size:	195*62*28cm	G.W:	40.5kg
Packing size:	195*62*42cm	Color:	customizable

First-Aid Equipment

KL-PT001

Patient Transportation Trolley



Technical Parameters:

Length:	1960mm
Width:	600mm
Height:	750cm
Weight capacity:	150kg
Metal Castor wheels:	12.5cm
Stainless steel bed frame material:	1 set
Matress with Learther cover high:	4cm

Technical Configuration & Optional:

Guardrail :	1 set	Color of matress:	customizable
IV pole with 2 hooks :	1 set		
Separation stretcher:	2 sets		
Castors:	4 pcs		

KL-PT002

Patient Transportation Trolley



*Safety lock

Technical Parameters:

Length:	2003mm
Width:	640mm
Height adjustment:	530-900mm
Back panel lifting:	0-85°
Safety load:	160kg
Head and tail size:	740*600*45mm
Mattress size:	1950*600*60mm

Technical Configuration & Optional:

Silent castors:	4 pcs	Castors:	4 pcs
Imported hydraulic cylinder:	1 set	Color:	customizable
Guardrail:	1 set		
PP bed panel:	3 sections		

KL-PT003

Patient Transportation Trolley

Technical Parameters:

Length:	1930mm
Width:	640mm
Height adjustment:	590*870mm
Backrest up:	0-75°
Load capacity:	250 kg
Caster diameter:	6-inch

*Please refer to the actual object

Technical Configuration & Optional:

Adjustable IV rod:	1 pc	Silent castors:	4 pcs
Patient safety belt:	2 pcs	Crank system:	1 set
Oxygen cylinder rack:	1 set	Backplane air spring:	1 set
ABS guardrail:	1 set	Mattress:	1 pc (customizable)

KL-PT004

Patient Transportation Trolley

Technical Parameters:

Length:	1930mm
Width:	660mm
Height adjustment:	510-850mm
Backpanel lifting:	0-70°(±10°)

*Please refer to the actual object

Technical Configuration & Optional:

Shaking hand system:	1 set	Holes for infusion stand:	2 pcs
Controllable gas spring:	1 set	Infusion stand:	1 set
Multifunctional PP guardrail:	1 set	Oxygen cylinder holder:	1 set
6-inch centralcontrol castors:	4 pcs	Central control brake pedal:	4 pcs
Guide castors:	1 set	Transfer mattress:	1 pc
Guide pedal:	2 pcs	Safety lock:	2 pcs

KL-PT005

Patient Transportation Trolley

Technical Parameters:

Length:	2100mm
Width:	750mm
Height adjustment:	600-920mm
Backpanel lifting:	0°-80°
Leg lifting:	0°-30°
Reverse Trendelenburg position:	0-18°
Trendelenburg position:	0-18°
Mattress:	1 pc (customizable)

*Please refer to the actual object

KL-PT006

Operation Connecting Trolley

Technical Parameters:

Length:	3650mm
Width:	640mm
Height:	640-970mm
Backpanellifting:	0-70°
IV Pole:	1 Set
Mattress:	1 pc (customizable)

*Please refer to the actual object

First-Aid Equipment

KL-LY001

Wheelchair

Technical Parameters:

Lengh:	94cm
Height:	88cm
Folding width:	22cm
Unfolding width:	58cm
Seat width:	46cm
Seat height:	40cm
Wheel:	8"

KL-LY002

Wheelchair

Technical Parameters:

Product size:	103*68*90cm
Folding width:	27cm
Seat Lengh:	42cm
Seat width:	45cm
Seat height:	50cm
Guard plate:	PP plastic guard plate
Handrail:	ABS hand pad

KL-LY003

Wheelchair

Technical Parameters:

Product size:	103*68*85cm
Folding width:	27cm
Seat Lengh:	42cm
Seat width:	45cm
Seat height:	45cm
Load:	100KG
Brake:	Hand brake

Rehabilitation Products

KL-LY004

Electric Wheelchair

Technical Parameters:

External (L*W*H):	1100*650*90mm
Sitting (H*W*D):	500*460*430mm
Speed:	6 km/h
Load capacity:	100kg
Motor:	2*250w
N.W.:	43KG
G.W.:	45KG

Technical Configuration & Optional:

Ront wheel size:	10 inches	Color:	customizable
Rear wheel size:	16 inches		Battery optional
Driving distance:	15 km		
Battery:	lead-acid 12A		

KL-LY005

Electric Wheelchair

Technical Parameters:

Product size:	850*440*790mm
Product weight:	17kg
Motor power:	250W*2
Battery capacity:	24V12A
Gradeability:	⩽25°
Battery life:	about 12-15 kilometers
Wheel size:	10/16 inches

Technical Configuration & Optional:

Wheel chair:	1 pc	Detachable leg cloth:	1 pc
360°controller:	1 set	Non-slip pedals:	2 pcs
Thicker tires:	2 pcs	Charger:	1 set
Universal wheels:	1 set		Battery optional

KL-LY006

Wheelchair

Technical Parameters:

Product size:	103*68*89cm
Folded size:	103*29*89cm
Cushion size:	42*46cm
Wheel:	7/24 inches
Wheelchair load capacity:	100kg
Wheelchair weight:	22KG
Adjustable backrest:	90-180

Technical Configuration & Optional:

Wheelchair:	1 pc	Rear storage bag:	1 set
Commode:	1 set		More specifications can be consulted
Removable cushion:	1 set		
Leg rests:	2 pc		

KL-LY007

Wheelchair

Technical Parameters:

Product size:	103*49*92cm
Seat cushion (L*W):	37*37cm
Sitting height:	46cm
Load-bearing:	100kg
G.W.:	14kg
N.W.:	16kg

Technical Configuration & Optional:

Side baffle:	2 pcs	Adjustable plastic dining table:	1 set
Adjustable handrail:	1 pc	Front wheel:	7 inches
Foot rest:	2 pcs	Rear-wheel:	22 inches
Seat belts:	1 set	Color:	customizable

Rehabilitation Products

KL-LY790

Bath Chair

Technical Parameters:

Product height:	700-850mm
Seat height:	370-520mm
Seat depth:	380mm
Bearing capacity:	150KG
G.W.:	3kg
N.W.:	2.5kg

KL-FS792

Commode

Technical Parameters:

Product size:	280*140*730-830mm
Seat height:	400-500mm
Seat depth:	400mm
Seat width:	450mm
Adjustable height:	100mm
Bearing capacity:	100KG
Net weight:	2.1 kg

Rehabilitation Products

KL-FS901

Armpit Crutch

Technical Configuration & Optional:

Product size:	103-123cm/113-133cm/123-143cm	Bearing capacity:	150kg
Adapt to height:	130-153cm/154-174cm/175-195cm	Adjustment gear:	9 gears can be adjusted
Product material:	stainless steel	Quantity of crutches:	2 sticks
Tube wall thickness and width:	0.7mm	Detachable armrest:	2 sets
Product weight:	0.8kg	Anti-slip mat:	2 pcs

KL-FS902

Elbow Crutch

Technical Configuration & Optional:

Packing size:	14cm*83cm*18.5cm	Load Weight :	150kg
Fold type:	17cm*45cm*15.5cm	Net weight(Retractable) :	0.45kg
Product material:	Aluminum elbow	Net weight(folding) :	0.48kg
Gear adjustment:	10 gears can be adjusted	Applicable height:	140-190cm
Tube wall thickness:	1.2MM	Color:	Silver/black paint

KL-FS903

Tri-fold Crutch

Technical Configuration & Optional:

Product length:	123cm	Color:	customizable
Fold length:	30cm		
Product material:	stainless steel		
Tube wall thickness and width:	0.7mm		
Product weight:	0.3kg		

KL-FS904

Stainless Steel Crutch with Chair

Technical Configuration & Optional:

Product size:	28*21*85cm	Open the bench height:	48cm
product weight:	About 0.5kg	Product color:	Blue/Brown/Black
Height of fold:	85cm		
Product bearing capacity:	130kg		
Product Material:	Stainless steel		

Rehabilitation Products

KL-FS905

Walking Aid

Technical Configuration & Optional:

Product size:	50*43*75-87cm	Anti-slip mat:	2 pcs
Product material:	stainless steel	Castor:	2 pcs
Tube wall thickness:	1.2mm	The sitting board is removable	
Bearing capacity:	100KG		
Castor:	7 inch		

KL-FS906

Walking Aid

Technical Configuration & Optional:

Product size:	50*62*78-96cm
Folding Size:	55*10*78mm
Tube wall thickness :	1.2mm
Bearing capacity:	100KG
Adjustment gear:	6 gears can be adjusted

KL-FS907

Cart Walker

Technical Configuration & Optional:

Product size:	68*61*80-90cm	Load-bearing:	120kg
Basket size:	40*20*15cm	N.W:	7.5kg
Size of seat cushion:	40*35cm	Wheel:	17.5cm
Sitting height:	50cm	Grip spacing:	47cm
Height of back:	35cm	Color :	customizable

KL-FS908

Cart Walker

Technical Configuration & Optional:

Product size:	73*40*91cm	Load-bearing:	120kg
Basket size:	40*40*30cm	N.W:	7.5kg
Size of seat cushion:	41.5*41.5cm	Wheels:	17.5/30cm
Sitting height:	48cm	Grip spacing:	47cm
Height of back:	42cm	Color :	customizable

Rehabilitation Products

KL-CE001

Certrifuge

Technical Parameters & Configuration:

Maximum speed:	4000 RPM
Maximum centrifugal force:	2325XG
Timing:	0-30min
Rotor capacity:	20mlX12 (standard configuration)
Power supply:	110V 60HZ 220V 50Hz 110V
Machine size(mm):	280*310*265
Packing size (mm):	340*350*330
Gross/net weight:	10/9KG
Body:	1
Non-slip mats:	4
Aluminum alloy centrifugal rotor:	12 holes

KL-DT001

Electrothermal Constant-Temperature Drying Oven

Technical Parameters & Configuration:

Product size:	65*46*46CM
Inner container size:	35*35*35CM
Temperature range:	indoor temperature ±10℃ -250℃
Instrument accuracy:	1℃
Power supply voltage:	220V/50HZ
Heating power:	800W
Timing time:	0-999min
Liner material:	Galvanize
Standard partition:	Galvanized separator*2

KL-ST001

Portable Pressure Steam Sterilizer

Technical Parameters & Configuration:

Volume:	45L
Power:	2.5KW
Voltage:	110v/220v 60Hz/50Hz
Rated working pressure:	0.25Mpa
Rated operating temperature:	139℃
Sterilization chamber volume:	316x615
Dimensions:	657*870*575
Packing size:	980*750*630
Gross weight/net weight:	142/105KG
Open top water tank:	1
Built-in printer:	1
Built-in steam generator:	1

Experimental Apparatus

KL-ST002

Vertical Pressure Steam Sterilizer

Technical Parameters & Configuration:

Chamber volume:	35L ф318 x450mm
Working pressure:	0.22Mpa
Working temperature:	134℃
Adjustment of temperature:	40℃-134℃
Time for sterilization:	0~60min
Time for drying:	0~60min
Heat average:	≤+2℃
Power:	9kw/380V 50Hz
Dimension:	1400x600x1300mm
Transport dimension:	1550x750 x1850mm
G.W/N.W:	320/240kg
	More specification consultation

KL-ST003

Portable Pressure Steam Sterilizer

Technical Parameters & Configuration:

Sterilizing volume:	18Lф280 x260mm
Working pressure:	0.14-0.16Mpa
Working temperature:	126℃
Adjustment of temperature:	105-126℃
Time for sterilization:	0~99min
Time for drying:	0.165Mpa
Heat average:	≤1℃
Power:	AC220V.50Hz/2KW
Transport dimension:	420*420*630
G.W/N.W:	14/12kg
	More specification consultation

KL-ST004

Horizontal Pressure Steam Sterilizer

Technical Parameters & Configuration:

Chamber volume:	150L ф440×1000mm
Working pressure:	0.22Mpa
Working temperature:	134℃
Adjustmentoftemperature:	40℃-134℃
Time for sterilization:	0~60min
Time for drying:	0~60min
Heat average:	≤+2℃
Power:	9kw/380V 50Hz
Dimension:	1400x600x1300mm
Transport dimension:	1550x750 x1850mm
G.W/N.W:	320/240kg
	More specification consultation

Note: